



the **revolution** of sub-floor fastening.

New barb-threaded fastener for subfloors.

Gets rid of subfloor nail squeaks so you don't get callbacks.

That's why Paslode is offering home builders a solution to this noisy, age-old problem – a new barb-threaded fastener that eliminates subfloor nail squeaks.

Take a closer look at why this new fastening technology works – and how it can **save you money** and **increase productivity** at the same time.











Four Good Reasons

If you value construction quality, customer satisfaction – and profits – you'll make the new Paslode tetraGRIP™ Subfloor Fastener standard issue on your jobsites...

- Proven to eliminate subfloor nail squeaks
- Reduces costs due to warranty repairs
- Increases productivity on the jobsite
- Raises homeowner satisfaction



No Nail Squeaks (Formerly NAHB Research Center Tested)

Holding Power

The new Paslode Sub-Floor Fastening System drives as fast as a nail and has the holding power of a screw.* Fast work, sturdy joints – and peace and guiet.

Why It Works Better

Manufactured with patented ITW WERC's technology and a patented threaded design, the Paslode tetraGRIP fastener rotates as it drives to bond with the wood fibers. Here's the technology behind this revolutionary squeak-stopping fastener:

- Rotation Without Destruction
 The optimized barbed helix creates high rotational forces and minimal friction.
- Strong Non-Destructive Wood Interaction
 Efficient rotation eliminates wood destruction common in ring shank nails.
- Superior Withdrawal Resistance
 The barbed helix-to-wood engagement creates a high load capacity.

Paslode Subfloor Fastening System

The new Paslode tetraGRIP subfloor fastener is used with the new subfloor air nailer (PF237C) to get maximum performance combined with superior productivity.

ICC-ES recognized, ESR-3071



- Made in U.S.A.
- Engineered Construction Nails, ASTM F1667
- ICC-ES recognized
- Paslode is a registered trademark of Illinois Tool Works, Inc. tetraGRIP, DRIVES LIKE A NAIL HOLDS LIKE A SCREW, WERCS and the WERCS symbol are trademarks of Illinois Tool Works, Inc. Covered by the following patents: 6956181, 6604665, 7819614, 8511961
- *As compared to #8, 2" standard screw.
- HIRL testing: See www.HomeInnovation.com/Tested for details.